

Alcatel

A group of five business professionals are seated around a wooden conference table in a modern office setting with a brick wall. They are engaged in a collaborative discussion, with one man gesturing while speaking. Papers, a laptop, and glasses are on the table.

**BUSINESS
PRODUCTS**

LEAD YOUR COMPANY TO SUCCESS

www.alcatel-business.com

Icon Glossary	3
Conferencing solutions	4
Alcatel Conference IP1550	5
Alcatel Conference IP1850	6
Alcatel Conference 1500	6
Alcatel Conference 1800	6
SIP phones - Essential line	7
Temporis IP100	8
Temporis IP150	9
SIP phones - Evolution line	10
Temporis IP215G	11
Temporis IP301G	11
Temporis IP701G	13
Temporis IP901G	13

SIP phones - Mobility line	14
Alcatel IP2215	15
Alcatel IP30/IP15/IP70H/ IP DECT Repeater	16


Analog phones	17
Temporis 10 / 180 / 380	18
Temporis 580	19
Temporis 880	19

SIP phones technical features	20-21
--------------------------------------	-------

Analog phones technical features	22-23
---	-------



Direct memory keys



Full duplex handsfree



Gigabit port



HD sound



Headset connection



Incoming call and waiting message indicator



Embedded DECT base



Simultaneous calls



Micro SD slot



Touch screen



Handsfree



Number of SIP accounts



DECT microphones



Programmable keys



Redial



Wall mountable



Bluetooth



Skype for business



USB port



Directory



Large HD display



HD color display

A full range of conferencing solutions available in SIP or analog technology

- Outstanding audio quality
 - HD sound or Pure sound
 - Full duplex hands free
 - Dynamic noise reduction
 - Echo cancellation
 - Automatic gain control
- DECT technology
 - Digital sound
 - Interference free



The ultra-sensitive 360° surround **WIRELESS MICROPHONES** and the powerful speaker allow each attendant to be perfectly understood and participate actively

A PURE AND CRYSTAL-CLEAR SOUND



The ultimate conference terminal for small size meeting rooms or managers' offices!



HD
SOUND

Alcatel Conference IP1550



- 2 detachable Dect microphones
- 1 embedded fixed microphone on the unit
- HD sound and full duplex hands free
- Skype for Business™, softphone or mobile calls via Bluetooth™ module (Bluetooth™ call)
- SIP and Bluetooth™ conferencing call
- Bluetooth™ headset support
- Local and network phonebook
- 10 speed dial keys
- Power over Ethernet
- 3 SIP accounts
- Microphone talk time: 7h/standby time: 70h



HD  **SOUND**

Alcatel Conference IP1850



- 4 detachable DECT microphones
- 2 embedded fixed microphones on the unit
- HD sound and full duplex hands free
- Skype for Business™, softphone or mobile calls via USB ports
- 3 soft keys for an intuitive use
- Local and network phonebook
- 10 speed dial keys
- A single power/LAN connection module
- 3 SIP accounts
- Microphone talk time: 7h/standby time: 70h



PURE  **SOUND**

Alcatel Conference 1500



- 2 detachable DECT microphones
- 1 embedded fixed microphone on the unit
- Pure sound
- Full duplex hands free
- 50 entry phonebook
- 5 speed dial keys
- A single power/line connection module
- Microphone talk time: 7h/standby time: 70h



PURE  **SOUND**

Alcatel Conference 1800



- 4 detachable DECT microphones
- 2 embedded fixed microphones on the unit
- Pure sound
- Full duplex hands free
- 50 entry phonebook
- 5 speed dial keys
- A single power/line connection module
- Microphone talk time: 7h/standby time: 70h



- Contemporary line
- Compact design with minimum footprint
- Wall mountable
- 10 direct access keys to save phone numbers or shortcuts

Highly featured and cost effective terminals that completely fit into hospitality environments

COST EFFECTIVE



Alcatel Temporis IP100



- 10 multifunction keys, 5 of them supporting BLF
- 10 speed dial keys
- 2 call appearances
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 1 SIP account
- 1 Ethernet port (10/100), PoE
- 2-position foot stand





PURE 
SOUND

Alcatel Temporis IP150



- 158x57 backlit graphic display
- Full duplex hands free
- 10 multifunction keys, 5 of them supporting BLF
- 10 speed dial keys
- Local phonebook (100-entry, downloadable), LDAP
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 2 SIP accounts
- 2 Ethernet ports (10/100), PoE
- 2-position foot stand





- One-touch multifunction keys
- Dual-color BLF to easily monitor lines
- Easy transfer
- Simple call forward
- Directory access at finger tips
- Comfortable conference set up
- Gigabit Ethernet ports



Designed to perfectly meet business needs

CUSTOMIZABLE

Alcatel Temporis IP251G



HD
SOUND

- 158x57 backlit graphic display
- HD sound
- Full duplex hands free
- 3 programmable soft keys
- 2 programmable keys
- 10 speed dial keys
- Local (1000-entry downloadable) and network phonebooks
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 2 SIP accounts
- 2 Gigabit Ethernet ports, PoE



Alcatel Temporis IP301G



HD
SOUND

- Embedded DECT base
- Can be paired with a handset (Alcatel IP15) and/ or a headset (Alcatel IP70H)
- 158x57 backlit graphic display
- HD sound and full duplex hands free
- 3 programmable soft keys
- 12x2 dual color multifunction keys supporting BLF
- Local (1000-entry downloadable), LDAP, blacklist
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 4 SIP accounts
- 2 Gigabit Ethernet ports, PoE
- SUOTA upgrade of cordless handset (Alcatel IP15)





Alcatel Temporis IP701G



HD
SOUND

- Embedded DECT base
- Can be paired with a handset (Alcatel IP15) and / or a headset (Alcatel IP70H)
- HD sound and full duplex hands free
- 206x128 backlit graphic display
- 2x16 dual backlit function keys supporting BLF
- Local (1000-entry, downloadable), network, phonebooks and blacklit
- Headset port and dedicated key
- 6 SIP accounts
- 2 Gigabit Ethernet ports, PoE
- SUOTA upgrade of cordless handset (Alcatel IP15)



Alcatel Temporis IP901G



HD
SOUND

- Embedded DECT base
- Can be paired with a handset (Alcatel IP15) and/ or a headset (Alcatel IP70H)
- HD sound and full duplex hands free
- 5" TFT color touch screen
- 30 paperless self-labelled programmable keys
- Micro SD card slot
- Local (1000-entry downloadable), network phonebooks and blacklist
- Headset port and dedicated key
- 8 SIP accounts
- 2 Gigabit Ethernet ports, PoE
- SUOTA upgrade of cordless handset (Alcatel IP15)



- Up to 4 HD concurrent calls
- Up to 6 handsets
- Up to 6 phone numbers
- Company directory
- 3-way conference
- Call transfer and forward
- Do not disturb function



Alcatel IP15



Alcatel IP30



Alcatel IP70H



Alcatel IP2215

A flexible and scalable micro system offering true business features

DESIGN YOUR MICRO SYSTEM



HD
SOUND



Alcatel IP2215



- 4 HD concurrent calls
- Up to 6 terminals and 6 SIP accounts
- HD black and white display
- HD sound and full duplex hands free
- Local shared and network phonebooks
- PoE
- Belt clip and headset port
- SUOTA
- Compatible with Alcatel IP15 handset, Alcatel IP70H headset, Alcatel IP30 deskphone and Alcatel IP DECT Repeater

Design your own micro system with the compatible accessories of Alcatel IP2215



Alcatel IP30



- DECT technology
- Large backlit display
- Hands free
- 2x16 speed dial keys



Alcatel IP15



- Backlit display and keypad
- Hands free
- Long battery life



Alcatel IP70H



- High sound quality
- 3 wearing styles
- Enhanced talk time



Alcatel IP DECT Repeater



- 2 HD concurrent calls
- Handover / roaming
- 2 handsets / repeater



- Handsfree
- Headset port and dedicated key
- Mute feature
- Incoming call and waiting message indicator
- Wall mounting



The analog range offers a compact and contemporary line as well as dedicated business features and an intuitive use

READY-TO-USE



Alcatel Temporis 10



- Incoming call indicator
- Call waiting indicator
- Last number redial
- Wall mountable



Alcatel Temporis 180



- Incoming call indicator
- Call waiting indicator
- Last number redial
- Wall mountable



Alcatel Temporis 380



- Hands free
- 10 direct memory keys
- Direct access key to headset mode
- Incoming call and call waiting indicator
- Wall mountable



Alcatel Temporis 580



- 2-line display
- Hands free
- 10 direct memory keys
- Direct access key to headset mode
- 50 entry phonebook
- incoming call and call waiting indicator
- Wall mountable



Alcatel Temporis 880



- Large 3-line display
- Hands free
- 10 lockable memory keys
- Direct access key to headset mode
- 170 entry phonebook

SIP phones

Technical features



Temporis IP100



Temporis IP150



Temporis IP215G



Temporis IP301G

MAIN FEATURES

Display	-	158x57 backlit graphical display	158x57 backlit graphical display	158x57 backlit graphical display
Call log	100 (available from web interface)	200 (received, dialed, missed)	200 (received, dialed, missed)	200 (received, dialed, missed)
Handsfree	On hook dialing	Full duplex	Full duplex	Full duplex
Phonebook	100 entries available from web interface	Local (100, downloadable) and network (LDAP)	Local (1000, downloadable) and network (LDAP)	Local (1000, downloadable) and network (LDAP)
Embedded DECT base	-	-	-	√
Languages	-	10	10	10
Headset	Headset key and port	Headset key and port	Headset key and port	Headset key, headset port or DECT (IP70H)
SIP account(s)	1	2	2	4
PoE	√	√	√	√

OTHER FUNCTIONS

Multiple call operation	Up to 2	Up to 6	Up to 6	Up to 8
Speed dial	10 (long press)	10 (long press)	10 (long press)	10 (long press)
Programmable keys	10 (multifunction, 5 of them with dual color backlight). Up to 18 functions	10 (multifunction, 5 of them with dual color backlight). Up to 18 functions 6 programmable hardkeys	2 (multifunction, dual color backlight) 6 programmable hardkeys	12x2 dual color backlight (multifunction) 6 programmable hardkeys
Visual indicators	Incoming call, waiting message, no service, mute	Incoming call, waiting message, no service, mute	Incoming call, waiting message, no service, mute	Incoming call, waiting message, no service, mute, headset
Mute	√	√	√	√
Direct access key to voicemail	√	√	√	√
Hold	√	√	√	√
Transfer	√	√	√	√
Call forward	√	√	√	√
Call deflection	-	√	√	√
Redial	√	√	√	√
3-way conference	√	√	√	√
Melodies/downloadable melodies	10	10	10/√	10/√
Keypad lock	-	-	√	√
Hotline	√	√	√	√
XML browser	-	-	√	√
Menu for installers	√	√	√	√
Detachable DECT microphones	-	-	-	-

NETWORK & IPBX INTEGRATION

Network conference	√	√	√	√
BLF, BLA, DND & CF synch	√	√	√	√
Intercom, paging, music on hold	√	√	√	√
Group pick up, call park	√	√	√	√
Distinctive ringtone	√	√	√	√
Redundancy	√	√	√	√
DHCP/static IP, VLAN, LLDP, 802.1x, DSCP	√	√	√	√
Supported codecs	G711, G722, G726, G729ab	G711, G722, G726, G729ab	G711, G722, G726, G729ab, iLBC	G711, G722, G726, G729ab, iLBC
Web interface configuration and provisioning files (http(s), tftp)	√	√	√	√
SUOTA upgrade of Alcatel IP15 handset	-	-	-	√
IPv4/IPv6/Open VPN	IPv4/-	IPv4/-	IPv4/IPv6/√	IPv4/IPv6/√
Supports redirection service (APRT)	√	√	√	√

INTERFACES

RJ-45 auto sensing 10/100/1000 Mbps	1 (10/100)	2 (10/100)	2 (10/100/1000)	2 (10/100/1000)
Power adaptor	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, not provided)
SD card slot	-	-	-	-
Bluetooth™ module	-	-	-	-
DECT	-	-	-	√ (supports 1 IP15 and 1 IP70H)
Headset port	√ (RJ9)	√ (RJ9)	2.5mm jack	2.5mm jack
USB port	-	-	-	-



Temporis IP701G



Temporis IP901G



Alcatel IP2215



Conference IP1550



Conference IP1850

Temporis IP701G	Temporis IP901G	Alcatel IP2215	Conference IP1550	Conference IP1850
206x128 backlit graphical display	800x480 color touch screen	90x65 backlit graphical display	158x57 backlit graphical display	158x57 backlit graphical display
200 (received, dialed, missed)	200 (received, dialed, missed)	200 (received, dialed, missed, centralized)	200 (received, dialed, missed)	200 (received, dialed, missed)
Full duplex	Full duplex	Full duplex	Full duplex	Full duplex
Local (1000, downloadable) and network (LDAP)	Local (1000, downloadable) and network (LDAP)	Local (200), shared (1000, downloadable) and network (LDAP)	200	200
√	√	√	√	√
10	10	10	10	10
Headset key, headset port or DECT (IP70H)	Headset key, headset port or DECT (IP70H)	Headset port on IP15, IP70H support	Bluetooth pairing	-
6	8	6	3	3
√	√	√	√	-
Up to 10	Up to 10	Up to 4 (concurrent per base) Up to 2 per IP15 handset	Up to 6	Up to 6
10 (long press)	10 (long press)	10 (long press)	10 (long press)	10 (long press)
16x2 dual color backlight (multifunction) 9 programmable hardkeys	30 paperless multifunction keys	-	-	-
Incoming call, waiting message, no service, mute, headset, DND activated	Incoming call, waiting message, no service, mute, headset, DND activated	Incoming call, missed call, no service, waiting message	Incoming call, mute activated	Incoming call, mute activated
√	√	√	√	√
√	√	-	-	-
√	√	√	√	√
√	√	√	√	√
√	√	√	√	√
√	√	-	√	√
√	√	√	√	√
√	√	√	√	√
10/-	10/-	10	10	10
√	√	-	-	-
√	√	-	-	-
√	√	-	-	-
√	√	√	√	√
-	-	-	2	4
√	√	√	√	√
√	√	DND & CF synch	-	-
√	√	√	Music on hold	Music on hold
√	√	-	√	√
√	√	√	√	√
√	√	√	√	√
√	√	√	√	√
G711, G722, G726, G729ab, iLBC	G711, G722, G726, G729ab, iLBC	G711, G722, G726, G729ab, iLBC	G722, G711, G726, G729ab	G722, G711, G726, G729ab
√	√	√	√	√
√	√	√	-	-
IPv4/IPv6/-	IPv4/IPv6/-	IPv4/IPv6/-	IPv4/-	IPv4/-
√	√	√	√	√
2 (10/100/1000)	2 (10/100/1000)	1 (10/100)	1 (10/100)	1 (10/100)
√ (5.1Vdc, not provided)	√ (5.1Vdc, not provided)	√ (5Vdc for base, 6vdc for handset charger, provided)	√ (9Vdc, provided)	√ (9Vdc, provided)
-	√	-	-	-
-	-	-	√	-
√ (supports 1 IP15 and 1 IP70H)	√ (supports 1 IP15 and 1 IP70H)	√ (supports up to 6 IP15/IP70H and IP30)	√ (for mics support and 1 DECT headset)	√ (for mics support)
2.5mm jack	2.5mm jack	2.5mm jack	-	-
-	-	-	-	√

Analog phones Technical features



Temporis 10



Temporis 180



Temporis 380

MAIN FEATURES			
Display	-	-	-
Call log	-	-	-
Handsfree	-	-	√
Phonebook	-	-	-
Embedded DECT base	-	-	-
Languages	-	-	-
Headset	-	-	Headset key and port
OTHER FUNCTIONS			
Speed dial	-	-	10
Visual indicators	Incoming call, waiting message	Incoming call, waiting message	Incoming call, waiting message
Mute	√	√	√
R,*,# key	√	√	√
Redial	1	1	1
3-way conference	-	-	-
Melodies	1	2	4
Keypad lock	-	-	-
Dialing type	Tone/Pulse	Tone/Pulse	Tone/Pulse
Flash time	100, 300, 600 ms	100, 300, 600 ms	100, 285, 600 ms
Detachable DECT microphones	-	-	-
INTERFACES			
Line cord	RJ11/RJ11	RJ11/RJ11	RJ11/RJ11
Power adaptor	Line powered	Line powered	Line powered
Headset port	-	-	√ (RJ9)



Temporis 580



Temporis 880




Alcatel Conference 1500



Alcatel Conference 1800

Alphanumeric display 1 line of text + 1 line of icons	Dot matrix alphanumeric display 3 lines of text + 1 line of icons	2 line backlit dot matrix display	2 line backlit alphanumeric display
30	70	50	50
√	√	Full duplex	Full duplex
50	170	50	50
-	-	√	√
7	7	7	7
Headset key and port	Headset key and port	-	-
10	10	5 (shortcuts)	5 (shortcuts)
Incoming call, waiting message and missed call	Incoming call, waiting message and missed call	Incoming call	Incoming call
√	√	√	√
√	√	√	√
5	5 (possibility to erase the memory)	10	10
-	-	√ (depending on your solution)	√ (depending on your solution)
4	10	10 (4 polyphonic)	10 (4 polyphonic)
√	√	-	-
Tone/Pulse	Tone/Pulse	Tone/Pulse	Tone/Pulse
100, 285, 600 ms	100, 285, 600 ms	80, 100, 120, 180, 200, 250, 300, 600 ms	80, 100, 120, 180, 200, 250, 300, 600 ms
-	-	2	4
RJ11/RJ11	RJ11/RJ11	RJ45/RJ11	RJ45/RJ11
Line powered	Line powered	√ (power supply provided)	√ (power supply provided)
√ (RJ9)	√ (RJ9)	-	-

Alcatel



DISCOVER OUR OFFER



Alcatel Business Phones

www.alcatel-business.com

ATLINKS Europe - 147 avenue Paul Doumer - 92500 Rueil Malmaison - France. ATLINKS Europe is a simplified joint stock company capitalized at €500,000. Registered under no. 508 823 747 in the Nanterre Trade and business Register. The manufacturer reserves the right to change product features to deliver technical improvements or comply with new regulations.

Alcatel is a trademark of Nokia, used under license by ATLINKS

© Copyright ATLINKS 2018. Reproduction prohibited.

Non binding pictures.